


Scan results for www.fachlinik-weserland.de

Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Wed Apr 2, 2025


Thank you for making your website accessible and inclusive for all users with disabilities



Congratulations!

By making your website accessible, you embrace inclusivity and open your business to over 16% of the population.

Website Exposure



#	Element	Relevant	Successes	Failures	Score
1	Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute.	Yes	3	1	75

Code snapshots of successful elements

```
1 <a href="javascript:void();" onclick="klaro.show();return false;" role="button" class="textlink" >Cookieeinstellungen bearbeiten</a>
```

```
2 <button class="cm-btn cm-btn-danger cn-decline" type="button" >Ich lehne ab</button>
```

```
3 <button class="cm-btn cm-btn-success" type="button" >Das ist ok</button>
```

Code snapshots of failed elements

```
1 <a class="cm-link cn-learn-more textlink" href="#" >Cookies konfigurieren</a>
```

#	Element	Relevant	Successes	Failures	Score
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	4	0	100

Code snapshots of successful elements

```
1 <a href="javascript:void();" onclick="klaro.show();return false;" role="button" class="textlink" >Cookieeinstellungen bearbeiten</a>
```

```
2 <a class="cm-link cn-learn-more textlink" href="#" >Cookies konfigurieren</a>
```

```
3 <button class="cm-btn cm-btn-danger cn-decline" type="button" >Ich lehne ab</button>
```

```
4 <button class="cm-btn cm-btn-success" type="button" >Das ist ok</button>
```

#	Element	Relevant	Successes	Failures	Score
3	Links should include text that sets expectations about the page they lead to. If empty links are used as layout wrapping elements, provide a description using screen-reader only text or an "aria-label" attribute.	Yes	45	0	100

Code snapshots of successful elements

```
1 <a href="/" >  </a>
```

```
2 <a href="https://www.fachklinik-weserland.de/" aria-current="page" class="textlink" >Start</a>
```

```
3 <a href="https://www.fachklinik-weserland.de/reha-herz-kardiologie/" class="textlink" >Reha Herz</a>
```

```
4 <a href="https://www.fachklinik-weserland.de/reha-lunge-pneumologie/" class="textlink" >Reha Lunge</a>
```

```
5 <a href="https://www.fachklinik-weserland.de/ihr-weg-zur-reha/" class="textlink" >Ihr Weg zur Reha</a>
```

```
6 <a href="https://www.fachklinik-weserland.de/ihr-weg-zur-reha/fallbeispiele-aus-der-praxis/" class="textlink" >Fallbeispiele aus der Praxis</a>
```

```
7 <a href="https://www.fachklinik-weserland.de/klinik/" class="textlink" >Klinik & Komfort</a>
```

```
8 <a href="https://www.fachklinik-weserland.de/klinik/reha-zimmer/" class="textlink" >Ihre Unterbringung</a>
```

```
9 <a href="https://www.fachklinik-weserland.de/klinik/ihre-behandlung/" class="textlink" >Ihre Behandlung</a>
```

10

```
<a href="https://www.fachklinik-weserland.de/klinik/team/" class="textlink"
>Unser Team</a>
```

#	Element	Relevant	Successes	Failures	Score
4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	2	0	100

Code snapshots of successful elements

1

```
<a class="aria-label-target" href="http://www.qualitaetskliniken.de/qualitaetsmessung/#part-7100" target="_blank" rel="noopener" aria-label="opens in new tab" >Herzlich willkommen<br>in der Fachklinik Weserland</h1>
```

#	Element	Relevant	Successes	Failures	Score
6	HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader-only text.	Yes	22	0	100

#	Element	Relevant	Successes	Failures	Score
7	Elements that visually function as headings but are not coded with a heading tag should include a role="heading" attribute or be updated to use the correct heading tag	No	0	0	

#	Element	Relevant	Successes	Failures	Score
8	Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
11	Active popups should include aria-modal="true" and role="dialog" attributes to help screen-reader users navigate them effectively.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Each page should include hidden skip links that allow users (via keyboard or screen reader) to bypass certain blocks and navigate directly to main landmarks like the main content, menu, or footer.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <a class="screen-reader-shortcut skip textlink" id="wcag-jump-to-main-content" href="#primary" >Zum Hauptinhalt springen</a>
```

#	Element	Relevant	Successes	Failures	Score
13	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should include an "aria-hidden" attribute set to "true" when hidden and dynamically updated to "false" when they become visible.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
14	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
15	Menus should be built using the HTML5 "nav" element or include a "role" attribute set to "menu" or "navigation" to indicate a navigation landmark for screen readers.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <ul id="menu-menu" class="menu" role="menu" ><li id="menu-item-4665" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-home current-menu-item page_item page-item-4634 current_page_item menu-item-4665"><a href="https://www.fach...
```

#	Element	Relevant	Successes	Failures	Score
16	Menu items that have a dropdown should include an aria-haspopup="true" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
17	Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	15	0	100

Code snapshots of successful elements

1 ``

2 ``

3 ``

4 ``

7 `
```

```
2
```

```
3
```

```
4
```

```
5
```

```
6
```

| #  | Element                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 21 | Figure elements used to display images should have a role="none" attribute, and the image itself should provide a description using the "alt" attribute. | Yes      | 16        | 2        | 89    |

### Code snapshots of successful elements

```
1 <figure class="wp-block-media-text__media" ></figure>
```

```
2 <figure class="wp-block-media-text__media" ></figure>
```

```
3 <figure class="wp-block-media-text__media" ></figure>
```

```
4 <figure class="wp-block-image alignleft size-large" style="margin-bottom:2rem">
```

```
5 <figure class="wp-block-image size-full mx-panel--app__center-image"></figure>
```

```
6 <figure class="wp-block-image size-large">
```

```
7 <figure class="wp-block-image size-large">
```

```
8 <figure class="wp-block-gallery has-nested-images columns-2 is-cropped wp-block-gallery-1 is-layout-flex wp-block-gallery-is-layout-flex"> <figure class="wp-block-image size-large open-in-popup"><img loading="la...
```

```
9 <figure class="wp-block-image size-large open-in-popup"> <figure class="wp-block-image size-large"><img loading="lazy" decoding="async" width="300" height="300" src="https://www.fachklinik-weserland.de/wp-content/uploads/2025/03/premium-rehaklinik-2025-300x300-1.png" alt="" class="wp-image-8139" ...
```

| #  | Element                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 22 | Each "area" element within a map tag should have an "alt" attribute that provides an alternative text description, similar to standard images. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 23 | Small or hidden tracking pixel images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 24 | Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name). | No       | 0         | 0        |       |

| #  | Element                                                                                                    | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 25 | Form elements must have unique IDs to ensure that their corresponding labels provide accurate information. | No       | 0         | 0        |       |

| #  | Element                                                                                                           | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 26 | Required form fields should include aria-required="true" to inform screen-reader users of the field's validation. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 27 | aria-describedby and aria-labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 28 | Search forms should include a role="search" attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 29 | All forms should include a submission button built as an input type="submit" or a "button" element, or have a role="button" attribute. The button can be hidden if the form supports submission via the Enter key. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 30 | The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes. | No       | 0         | 0        |       |



| #  | Element                                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 31 | The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 32 | The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 33 | The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1">
```

| #  | Element                                                                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 34 | Landmarks like main content and footer should use their corresponding HTML5 elements (&lt;main&gt;, &lt;footer&gt;) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere. | Yes      | 2         | 0        | 100   |

### Code snapshots of successful elements

```
1 <main id="primary" class="site-main"> <article id="post-4634" class="post-4634 page type-page status-publish hentry"> <div class="entry-content"> <div class="wp-block-cover is-light front-page-header"><span aria-hidden="true" class="wp-block-...
```

```
2 <footer class="site-footer"> <div class="footer__columns"> <div class="footer__column"> <h3>Fachklinik Weserland</h3> <p>Rehabilitationsklinik für Herz-, Kreislauf- und Lungenerkrankungen
 Vogelreichsweg 49
 31812 Ba d...
```

| #  | Element                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 35 | Font sizes should be at least 11px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages. | Yes      | 0         | 3        | 0     |

### Code snapshots of failed elements

1 `<div class="wp-block-media-text__content"> <h4 class="wp-block-heading has-w  
eiss-color has-text-color">Dr. med. Markus Wrenger</h4> <p class="has-farbe-  
22-color has-text-color" style="font-size:11px">Facharzt für Innere Medizin  
und Kardiologie</p>...`

2 `<div class="wp-block-media-text__content"> <h4 class="wp-block-heading has-w  
eiss-color has-text-color">Christian Elbracht</h4> <p class="has-farbe-22-co  
lor has-text-color" style="font-size:11px">Facharzt für Innere Medizin und P  
neumologie</p> </di...`

3 `<div class="wp-block-media-text__content"> <h4 class="wp-block-heading has-g  
rau-color has-text-color">Team Fachklinik Weserland</h4> <p class="has-farbe-  
22-color has-text-color" style="font-size:11px">Patientenservice & Empf  
ang</p> </div>`

| #  | Element                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 36 | Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 37 | Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background. | Yes      | 76        | 15       | 84    |

### Code snapshots of successful elements

1 `<a href="https://www.fachklinik-weserland.de/" aria-current="page" class="textlink" >Start</a>`

2 `<a href="https://www.fachklinik-weserland.de/reha-herz-kardiologie/" class="textlink" >Reha Herz</a>`

3 `<a href="https://www.fachklinik-weserland.de/reha-lunge-pneumologie/" class="textlink" >Reha Lunge</a>`

4 `<a href="https://www.fachklinik-weserland.de/ihr-weg-zur-reha/" class="textlink" >Ihr Weg zur Reha</a>`

5 `<a href="https://www.fachklinik-weserland.de/ihr-weg-zur-reha/fallbeispiele-aus-der-praxis/" class="textlink" >Fallbeispiele aus der Praxis</a>`

6 `<a href="https://www.fachklinik-weserland.de/klinik/" class="textlink" >Klinik & Komfort</a>`

7 `<a href="https://www.fachklinik-weserland.de/klinik/reha-zimmer/" class="textlink" >Ihre Unterbringung</a>`

8 `<a href="https://www.fachklinik-weserland.de/klinik/ihre-behandlung/" class="textlink" >Ihre Behandlung</a>`

9 `<a href="https://www.fachklinik-weserland.de/klinik/team/" class="textlink" >Unser Team</a>`

10 `<a href="https://www.fachklinik-weserland.de/klinik/smart-clinic/" class="textlink" >Smart Clinic</a>`

### Code snapshots of failed elements

- 1 `<h1 class="wp-block-heading has-text-align-center has-weiss-color has-text-color" style="font-size:34px">Herzlich willkommen<br >in der Fachklinik Weserland</h1>`
- 2 `<p class="has-text-align-center has-weiss-color has-text-color has-link-color wp-elements-7846d98bec642650178a02b201606dcd">Ihre Rehaklinik für Herz-, Kreislauf- und Lungenerkrankungen</p>`
- 3 `<h2 class="wp-block-heading has-weiss-color has-text-color">Kardiologie</h2>`
- 4 `<h4 class="wp-block-heading has-farbe-22-color has-text-color">[ Erkrankungen des Herz-/Kreislauf-Systems ]</h4>`
- 5 `<p class="has-weiss-color has-text-color">In der Fachklinik Weserland widmet sich ein umfangreicher Fachbereich voll und ganz Ihrem Herz-Kreislauf-System. Multidisziplinär und ganzheitlich umfasst die Behandlung alle Aspekte, die für Herzpatient:inne...`
- 6 `<h4 class="wp-block-heading has-weiss-color has-text-color">Dr. med. Markus Wrenger</h4>`
- 7 `<p class="has-farbe-22-color has-text-color" style="font-size:11px">Facharzt für Innere Medizin und Kardiologie</p>`
- 8 `<h2 class="wp-block-heading has-weiss-color has-text-color">Pneumologie</h2>`
- 9 `<h4 class="wp-block-heading has-weiss-color has-text-color">Christian Elbracht</h4>`
- 10 `<p class="has-weiss-color has-farbe-1-background-color has-text-color has-background">Service</p>`

| #  | Element                                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 38 | Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 39 | Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 40 | A common accessibility mistake is treating carousels as live regions using the "aria-live attribute" with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 41 | Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 42 | Tables used for layout purposes should include a <code>role="presentation"</code> attribute to indicate to screen-readers that it is not a data table. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 43 | If nested tables are used (a table element within a table cell), set the nested tables <code>role</code> attribute to <code>"presentation"</code> . | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                           | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 44 | Tables without a <code>thead</code> row containing <code>th</code> elements should use the <code>role="rowheader"</code> attribute on <code>td</code> elements in the <code>tr</code> that visually represent the table headings. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 45 | Visually deleted texts (e.g., a previous price on sale items) should include an <code>aria-label</code> attribute or a screen-reader only text to indicate that it is deleted. | No       | 0         | 0        |       |

| #  | Element                                                                                                                         | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 46 | The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 47 | Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 48 | An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 49 | Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers. | No       | 0         | 0        |       |



This audit is subject to the [terms of service](#)